

K35-LITE


An Ultra Lightweight, Simple LED Multi-Functional Area Lighting System

Up to 40,000 Lumens Light Output




www.riteliteportablelighting.co.uk





Multi-Directional Light



180° Directional Light



360° Area Flood Lighting



Key Features

Up to 3.5m
total height.
Lightweight
8Kg



40,000 lumens from only 300W
low power requirement.



Multi-directional light head
to illuminate required area.
Lightweight, only 8Kg



Robust construction for industrial
environments - IP65, IK08 impact
protection.



Up to 3.5m height from small
ground footprint. 2 options of mast
available for indoor & outdoor
applications.



Mains or generator powered 110V
or 240V AC options available.



Fast, simple safe deployment
system. Setup in under two
minutes.



Battery pack available as
110V or 240V output.



Easy to transport. Compact
to stow. Multiple units can be
transported in a small vehicle.



Product Options

SCAFFOLD CLAMP

Includes male stud adapter for SLK35LED.
48mm diameter.



MAGNETIC BRACKET

Includes male stud adapter for SLK35LED.
Attach the K35 light head to sturdy steel objects.



BALLAST BAGS

A set of three ballast bags which can be attached to the legs of the outdoor tripod, increasing the stability of the unit. Add ballast of your choice.



INDOOR TRIPOD



Includes male stud.
Dimensions:
Closed: 1500mm x ø130mm
Open: 3055mm x ø1350mm
Weight: 6Kg

OUTDOOR TRIPOD



Includes male stud.
Dimensions:
Closed: 1320mm x ø180mm
Open: 2800mm x ø2060mm
Weight: 8Kg

Technical Specifications

WATTAGE	AC INPUT	LUMENS	CCT	PF	LIGHT HEAD DIMENSIONS	LIGHT HEAD WEIGHT	CABLE LENGTH
300W	100-277V AC 50/60Hz	40,000	6500K	≥0.9	ø400mm x 320mm	8Kg	5.0m

PRODUCT CODE	DESCRIPTION
SLK35-LITE/INDOOR/110V	300W light head with 110V power supply and indoor tripod
SLK35-LITE/INDOOR/230V	300W light head with 230V power supply and indoor tripod
SLK35-LITE/IOUTDOOR/110V	300W light head with 110V power supply and outdoor tripod
SLK35-LITE/IOUTDOOR/230V	300W light head with 230V power supply and outdoor tripod

PRODUCT CODE	DESCRIPTION
SLK35LED/HEAD	K35 300W 110V light head
LHSC1	Scaffold clamp
LHMAG	Magnetic bracket
SLK45-LITE/BB	Ballast bags x 3

For further information please get in touch with us



UK HEAD OFFICE

Ritelite (Systems) Ltd, Meadow Park, Bourne Road,
Essendine, Stamford, Lincolnshire, PE9 4LT, England

Telephone: +44 (0) 1780 758585

Fax: +44 (0) 1780 765700

E-mail: sales@ritelite.co.uk

GERMAN OFFICE

Telephone: +49 (0) 7623 3074308

Fax: +49 (0) 7623 3074310

Mobile: +49 (0) 176 45822464

E-mail: export@ritelite.co.uk

International Website: www.riteliteportablelighting.com

www.riteliteportablelighting.co.uk