



Quad Pod Cover Manual

A high quality waterproof cover to protect the Quad Pod when stored outside.



Pack contents:

- 1 x Quad Pod waterproof cover

You will also need:

- 1 x 13mm spanner

PRODUCT CODE: K50/K65-COVER

www.riteliteportablelighting.co.uk

FITTING THE COVER TO THE QUAD POD



1. Remove the cover from the packaging. Turn the cover inside out and locate the two eyelets on flaps either side of the top of the zip. Using a 13mm spanner remove the top two nuts from the top of the mast wire cover. The cover can be unzipped to apply if easier.



2. With the inside of the zip facing outwards, drape the cover over the front of the Quad Pod and place the eyelets of the cover over the two bolts at the top of the mast wire cover. Replace the washers and nuts then tighten. Close the zip if opened.

NOTE The two bolts protruding through the mast wire cover should still be tight once the nuts are removed. Should they come loose it won't be possible to tighten the nuts without removing the Quad Pod handles. To do this please scan this QR code and follow instruction points 1 to 4. Once the handles are moved a 5mm allen key can be used to hold the bolts secure before refitting the nuts. The handles can then be refitted.



3. Lift the entire cover over the Quad Pod so the front of the Quad Pod is clear. The cover will drape over the winch cover between the handles.



4. Use the top fitted strap to secure the cover to the handles, the bottom one simply wraps around the cover. Secure both straps with the buckles. The Quad Pod can now be deployed.

COVERING THE QUAD POD WITH THE COVER



1. Ensure the Quad Pod is fully stowed for transport with the legs raised and light heads stowed in their usual position. Undo the top and bottom straps.



2. Undo the zip. Grab the top of the cover at its edge and lift over the stowed legs on one side of the unit.



3. Repeat with the other side, bringing the zipped edges together.



4. Once the cover is in place pull the zip down to the base of the cover.



5. The fitting of the cover is now complete. To tie back cover follow instructions in reverse.



NOTE The cover can also be fitted over the unit with the legs out.

**FOR A VIDEO CONTAINING FURTHER INFORMATION ON USING
THE COVER PLEASE SCAN THE QR CODE**



If you have any queries with fitting please don't hesitate to contact us on 01780 758585 or e-mail sales@ritelite.co.uk

Ritelite (Systems) Ltd

Meadow Park, Bourne Road, Essendine, Stamford, Lincolnshire, PE9 4LT

Tel. +44 (0) 1780 758585 E-mail. sales@ritelite.co.uk

www.riteliteportablelighting.co.uk